

AEROKLAS - DUST DEFENCE SEAL

102110000969 INSTALLATION MANUAL AEROKLAS DUST DEFENCE SEAL FOR VW AMAROK 2022


Fit Time: Vehicle with bed liner 60 mins // 2 persons, without bed liner 30 mins // 1 person

BETTER PREVENTION

1. Part for the Tailgate for beter protection against dust and water.
2. Suitable for use with vehicles equipped with roof covers.
3. Easy to install without drilling holes.
4. Passed the standard waterproof and dustproof test.

Recommend :

" To prevent scratches from dust during usability, it is recommended to use "FILAMENT TAPE" and we recommended 3M scotch filament tape 8981 on area rubber seal contacts "



Aeroklas Factory (Rayong)








111/1, 111/10 Moo 2,
Tambol Makhamku,
Amphur Nikompatana,
Rayong 21180 Thailand.
Tel: +66-3889-3599-610

Aeroklas Office (Bangna)




















62 Soi Bangna-Trad 25,
Bangna-Trad Rd., Bangna,
Bangkok 10260 Thailand.
Tel: +66-2744-3020

AEROKLAS.COM
ITEM NO. 102110000969


Parts List

PARTS LIST	INSTALLATION TOOLS
 <p>ISOMETRIC VIEW</p>	 <p>SCREWDRIVER</p>
	 <p>CUTTING TOOL</p>
	 <p>SAND PAPER</p>
	 <p>TAPE MEASURE</p>
	 <p>ELECTRIC DRILL</p>
	 <p>DRILL Ø 5 mm.</p>


Parts List

<p>RHS SEAL SUPPORT</p>  <p>A x1</p>	<p>LHS SEAL SUPPORT</p>  <p>B x1</p>	<p>RHS COVER PAD</p>  <p>C x1</p>	<p>LHS COVER PAD</p>  <p>D x1</p>	<p>RHS RUBBER SEAL TOP FOR CANOPY</p>  <p>E x1</p>
<p>LHS RUBBER SEAL TOP FOR CANOPY</p>  <p>F x1</p>	<p>RHS RUBBER SEAL TOP FOR ROLLER LID</p>  <p>G x1</p>	<p>LHS RUBBER SEAL TOP FOR ROLLER LID</p>  <p>H x1</p>	<p>ASSY RUBBER SEAL</p>  <p>I x1</p>	<p>RUBBER SEAL PLATE FOR CANOPY</p>  <p>J x2</p>
<p>PUSH CLIP</p>  <p>K x4</p>	<p>SCREW M8x30</p>  <p>L x4</p>	<p>WASHER M8 OD18</p>  <p>M x4</p>	<p>SCREW M6x20</p>  <p>N x2</p>	<p>WASHER M6x1.2 OD20</p>  <p>O x2</p>
<p>WASHER M8 THICKNESS 3 mm.</p>  <p>P x4</p>	<p>PRIMER</p>  <p>Q x2</p>	<p>TEMPLATE</p>  <p>R x1</p>	<p>BRACKET CLIP WITH 3M</p>  <p>S x5</p>	

PRODUCT




CANOPY




ROLLER LID

DIMENSIONS FOR CUTTING LINER

LINER OEM





USE TEMPLATE




For vehicles with plastic bed liner use the supplied template.

For vehicles with spray on liner and no liner proceed to step 1.



FITTING DUST DEFENCE SEAL

1



SEAL SUPPORT FOR ROLLER LID




SEAL SUPPORT FOR CANOPY

2

YES

CUT THE HEAD SEAL SUPPORT
USE FOR ROLLER LID.SEAL SUPPORT WITHOUT HEAD
USE FOR ROLLER LID.AFTER CUT THE HEAD SEAL SUPPORT,
PLEASE DECORATE WITH SANDPAPER.

CUTTING TOOL


BHS COVER PAD
C x1LHS COVER PAD
D x1

NO



3



USE FOR CANOPY

RUBBER SEAL PLATE
FOR CANOPY


J x2

NOTE:
1. THIS STEP FOR USING DUST DEFENCE SEAL WITH ROLLER LID.
2. IF YOU USING DUST DEFENCE SEAL WITH CANOPY,
YOU CAN SKIP TO NEXT STEP (3).

4

SCREW M8x30
L x4
WASHER M8x1.2 OD30
M x4
WASHER M8 THICKNESS 3 mm.
P x4USE WHEN THERE IS NO
BRACKET TAILGATE LIFT-UP

5




ASSEMBLE THE SEAL SUPPORT ONTO TRUCK BOX


6




M8 T3 mm.

M6
M8

SCREWDRIVER


SCREW M8x30
L x4WASHER M8 OD18
M x4WASHER M8 THICKNESS 3 mm.
P x4SCREW M8x20
N x2WASHER M8x1.2 OD30
O x2

7



AFTER ASSEMBLE LINER ONTO TRUCK BOX, REMOVE THE TAILGATE COVER PLASTIC PART (PICTURE) OUT FROM THE TAILGATE AREA


8



Please clean surface and apply primer before fit the Bracket clip nut with 3M tape


DETAIL B

9




After fitted Bracket clip with 3M tape

10




PLEASE CLEAN SURFACE HERE AND APPLY PRIMER


11



12



13



14

